ELSEVIER

Hearing Research 106 (1997) 188–189

HEARING RESEARCH

Author Index Volume 106

Adachi, M., see Mizuta, K. (106) 154

Bagger-Sjöbäck, D., see von Unge, M. (106) 123
Brown, M., see McAnally, K.I. (106) 146
Brown, M., see McAnally, K.I. (106) 137

Clark, G.M., see McAnally, K.I. (106) 137
Clark, G.M., see McAnally, K.I. (106) 146
Comegys, T.H., see Henzl, M.T. (106) 105
Cone-Wesson, B., Ma, E. and Fowler, C.G.
Effect of stimulus level and frequency on ABR and MLR binaural interaction in human neonates (106) 163

de Groot, J.C.M.J., Hamers, F.P.T., Gispen, W.-H. and Smoorenburg, G.F.
Co-administration of the neurotrophic $ACTH_{(4-9)}$ analogue, ORG2766, may reduce the cochleotoxic effects of cisplatin (106) 9
Decraemer, W.F., see von Unge, M. (106) 123

Flandermeyer, D.T., see Teoh, S.W. (106) 39
Flock, Å., Flock, B., Fridberger, A. and Jäger, W.
Methods for integrating fluorimetry in the study of hearing organ structure and function (106) 29
Flock, B., see Flock, Å. (106) 29
Fowler, C.G., see Cone-Wesson, B. (106) 163
Fridberger, A., see Flock, Å. (106) 29
Frisina, D.R., and Frisina, R.D.
Speech recognition in noise and presbycusis: relations to possible neural mechanisms (106) 95
Frisina, R.D., see Frisina, D.R. (106) 95

Gispen, W.-H., see de Groot, J.C.M.J. (106) 9
Grandori, F., see Tognola, G. (106) 112

Hamers, F.P.T., see de Groot, J.C.M.J. (106) 9
Henzl, M.T., Shibasaki, O., Comegys, T.H., Thalmann, I. and Thalmann, R.
Oncomodulin is abundant in the organ of Corti (106) 105

Ison, J.R., Payman, G.H., Palmer, M.J. and Walton, J.P.
Nimodipine at a dose that slows ABR latencies does not protect the ear against noise (106) 179
Iwasa, K.H., see Mizuta, K. (106) 154

Jäger, W., see Flock, Å. (106) 29

Kaltenbach, J.A., see Mandal, A. (106) 1
Kollmeier, B., see Neumann, J. (106) 184

Liang, Z.-A., see Zhao, H.-B. (106) 83

Ma, E., see Cone-Wesson, B. (106) 163
Mandal, A., Kaltenbach, J.A. and Quirk, W.S.
Changes in dorsal cochlear nucleus blood flow during noise exposure (106) 1
McAnally, K.I., Brown, M. and Clark, G.M.
Estimating mechanical responses to pulsatile electrical stimulation of the cochlea (106) 146
McAnally, K.I., Brown, M. and Clark, G.M.
Acoustic and electric forward-masking of the auditory nerve compound action potential: evidence for linearity of electro-mechanical transduction (106) 137
Mizuta, K., Adachi, M. and Iwasa, K.H.
Ultrastructural localization of the Na-K-Cl cotransporter in the lateral wall of the rabbit cochlear duct (106) 154

Neumann, J., Uppenkamp, S. and Kollmeier, B.
Erratum to "Interaction of otoacoustic emissions with additional tones: suppression or synchronization?" [Hear. Res. 103 (1997) 19-27] (106) 184

Özmen, B., see Ungan, P. (106) 66

Palmer, M.J., see Ison, J.R. (106) 179
Payman, G.H., see Ison, J.R. (106) 179

Quirk, W.S., see Mandal, A. (106) 1

Ravazzani, P., see Tognola, G. (106) 112
Robertson, D., see Wang, X. (106) 20
Rosowski, J.J., see Teoh, S.W. (106) 39

Shibasaki, O., see Henzl, M.T. (106) 105
Smoorenburg, G.F., see de Groot, J.C.M.J. (106) 9

Teoh, S.W., Flandermeyer, D.T. and Rosowski, J.J.
Effects of pars flaccida on sound conduction in ears of Mongolian gerbil: acoustic and anatomical measurements (106) 39
Thalmann, R., see Henzl, M.T. (106) 105
Thalmann, I., see Henzl, M.T. (106) 105
Tognola, G., Grandori, F. and Ravazzani, P.
Time-frequency distributions of click-evoked otoacoustic emissions (106) 112

Ungan, P., Yağcioğlu, S. and Özmen, B.
Interaural delay-dependent changes in the binaural difference potential in cat auditory brainstem response: implications about the origin of the binaural interaction component (106) 66
Uppenkamp, S., see Neumann, J. (106) 184

Van den Berghe, D., see von Unge, M. (106) 123

ELSEVIER

Hearing Research 106 (1997) 188–189

HEARING RESEARCH

Author Index Volume 106

Adachi, M., see Mizuta, K. (106) 154

Bagger-Sjöbäck, D., see von Unge, M. (106) 123
Brown, M., see McAnally, K.I. (106) 146
Brown, M., see McAnally, K.I. (106) 137

Clark, G.M., see McAnally, K.I. (106) 137
Clark, G.M., see McAnally, K.I. (106) 146
Comegys, T.H., see Henzl, M.T. (106) 105
Cone-Wesson, B., Ma, E. and Fowler, C.G.
Effect of stimulus level and frequency on ABR and MLR binaural interaction in human neonates (106) 163

de Groot, J.C.M.J., Hamers, F.P.T., Gispen, W.-H. and Smoorenburg, G.F.
Co-administration of the neurotrophic $ACTH_{(4-9)}$ analogue, ORG2766, may reduce the cochleotoxic effects of cisplatin (106) 9
Decraemer, W.F., see von Unge, M. (106) 123

Flandermeyer, D.T., see Teoh, S.W. (106) 39
Flock, Å., Flock, B., Fridberger, A. and Jäger, W.
Methods for integrating fluorimetry in the study of hearing organ structure and function (106) 29
Flock, B., see Flock, Å. (106) 29
Fowler, C.G., see Cone-Wesson, B. (106) 163
Fridberger, A., see Flock, Å. (106) 29
Frisina, D.R., and Frisina, R.D.
Speech recognition in noise and presbycusis: relations to possible neural mechanisms (106) 95
Frisina, R.D., see Frisina, D.R. (106) 95

Gispen, W.-H., see de Groot, J.C.M.J. (106) 9
Grandori, F., see Tognola, G. (106) 112

Hamers, F.P.T., see de Groot, J.C.M.J. (106) 9
Henzl, M.T., Shibasaki, O., Comegys, T.H., Thalmann, I. and Thalmann, R.
Oncomodulin is abundant in the organ of Corti (106) 105

Ison, J.R., Payman, G.H., Palmer, M.J. and Walton, J.P.
Nimodipine at a dose that slows ABR latencies does not protect the ear against noise (106) 179
Iwasa, K.H., see Mizuta, K. (106) 154

Jäger, W., see Flock, Å. (106) 29

Kaltenbach, J.A., see Mandal, A. (106) 1
Kollmeier, B., see Neumann, J. (106) 184

Liang, Z.-A., see Zhao, H.-B. (106) 83

Ma, E., see Cone-Wesson, B. (106) 163
Mandal, A., Kaltenbach, J.A. and Quirk, W.S.
Changes in dorsal cochlear nucleus blood flow during noise exposure (106) 1
McAnally, K.I., Brown, M. and Clark, G.M.
Estimating mechanical responses to pulsatile electrical stimulation of the cochlea (106) 146
McAnally, K.I., Brown, M. and Clark, G.M.
Acoustic and electric forward-masking of the auditory nerve compound action potential: evidence for linearity of electro-mechanical transduction (106) 137
Mizuta, K., Adachi, M. and Iwasa, K.H.
Ultrastructural localization of the Na-K-Cl cotransporter in the lateral wall of the rabbit cochlear duct (106) 154

Neumann, J., Uppenkamp, S. and Kollmeier, B.
Erratum to "Interaction of otoacoustic emissions with additional tones: suppression or synchronization?" [Hear. Res. 103 (1997) 19-27] (106) 184

Özmen, B., see Ungan, P. (106) 66

Palmer, M.J., see Ison, J.R. (106) 179
Payman, G.H., see Ison, J.R. (106) 179

Quirk, W.S., see Mandal, A. (106) 1

Ravazzani, P., see Tognola, G. (106) 112
Robertson, D., see Wang, X. (106) 20
Rosowski, J.J., see Teoh, S.W. (106) 39

Shibasaki, O., see Henzl, M.T. (106) 105
Smoorenburg, G.F., see de Groot, J.C.M.J. (106) 9

Teoh, S.W., Flandermeyer, D.T. and Rosowski, J.J.
Effects of pars flaccida on sound conduction in ears of Mongolian gerbil: acoustic and anatomical measurements (106) 39
Thalmann, R., see Henzl, M.T. (106) 105
Thalmann, I., see Henzl, M.T. (106) 105
Tognola, G., Grandori, F. and Ravazzani, P.
Time-frequency distributions of click-evoked otoacoustic emissions (106) 112

Ungan, P., Yağcioğlu, S. and Özmen, B.
Interaural delay-dependent changes in the binaural difference potential in cat auditory brainstem response: implications about the origin of the binaural interaction component (106) 66
Uppenkamp, S., see Neumann, J. (106) 184

Van den Berghe, D., see von Unge, M. (106) 123

von Unge, M., Decraemer, W.F., Bagger-Sjöbäck, D. and Van den Berghe, D.
Tympanic membrane changes in experimental purulent otitis media (106) 123

Walton, J.P., see Ison, J.R. (106) 179
Wang, X., and Robertson, D.
Effects of bioamines and peptides on neurones in the ventral nucleus of trapezoid body and rostral periolivary regions of the rat superior olivary complex: an in vitro investigation (106) 20

Yağcioğlu, S., see Ungan, P. (106) 66

Zhao, H.-B., and Liang, Z.-A.
Temporal encoding and transmitting of amplitude and frequency modulations in dorsal cochlear nucleus (106) 83

ELSEVIER

Hearing Research 106 (1997) 191–193

HEARING RESEARCH

Subject Index Volume 106

ABR latency
Noise exposure; Mouse; Auditory threshold; Calcium channel (Ison, J.R. (106) 179)

Acoustics
Pars flaccida; Tympanic membrane; Middle ear; Models; Anatomy (Teoh, S.W. (106) 39)

Across-frequency channel processing
AM tone; FM tone; Modulation encoding cue; Modulation transmission; Dorsal cochlear nucleus (Zhao, H.-B. (106) 83)

Aging
Presbycusis; Central auditory system; Speech perception; Hearing; Deafness (Frisina, D.R. (106) 95)

AM tone
FM tone; Modulation encoding cue; Modulation transmission; Across-frequency channel processing; Dorsal cochlear nucleus (Zhao, H.-B. (106) 83)

Anatomy
Pars flaccida; Tympanic membrane; Middle ear; Models; Acoustics (Teoh, S.W. (106) 39)

Antiserum raised against rabbit parotid Na-K-Cl cotransporter
Na-K-Cl cotransporter; Post-embedding immunogold method; Stria vascularis (Mizuta, K. (106) 154)

Auditory brainstem
Superior olivary complex; Rat; Brain slice; Neurotransmitter; Neuromodulator; Bioamine; Peptide (Wang, X. (106) 20)

Sound lateralization; Interaural time difference; Binaural difference potential; Binaural interaction component; Superior olivary complex; Cat (Ungan, P. (106) 66)

Middle latency response; Binaural interaction component; Neonate (Cone-Wesson, B. (106) 163)

Auditory nerve
Cochlear implant; Hair cell; Transduction; Compound action potential; Masking (McAnally, K.I. (106) 146)

Auditory system
Hearing; Organ of Corti; Hair cell; Fluorescence microscopy; Cochlear potential (Flock, Å. (106) 29)

Auditory threshold
Noise exposure; Mouse; Calcium channel; ABR latency (Ison, J.R. (106) 179)

Binaural difference potential
Sound lateralization; Interaural time difference; Auditory brainstem response; Binaural interaction component; Superior olivary complex; Cat (Ungan, P. (106) 66)

Binaural interaction component
Sound lateralization; Interaural time difference; Auditory brainstem response; Binaural difference potential; Superior olivary complex; Cat (Ungan, P. (106) 66)

Auditory brainstem response; Middle latency response; Neonate (Cone-Wesson, B. (106) 163)

Bioamine
Auditory brainstem; Superior olivary complex; Rat; Brain slice; Neurotransmitter; Neuromodulator; Peptide (Wang, X. (106) 20)

Blood flow
Dorsal cochlear nucleus; Noise; Intravital microscopy; Laser Doppler flowmetry (Mandal, A. (106) 1)

Brain slice
Auditory brainstem; Superior olivary complex; Rat; Neurotransmitter; Neuromodulator; Bioamine; Peptide (Wang, X. (106) 20)

Calcium channel
Noise exposure; Mouse; Auditory threshold; ABR latency (Ison, J.R. (106) 179)

Cat
Sound lateralization; Interaural time difference; Auditory brainstem response; Binaural difference potential; Binaural interaction component; Superior olivary complex (Ungan, P. (106) 66)

Central auditory system
Presbycusis; Speech perception; Aging; Hearing; Deafness (Frisina, D.R. (106) 95)

Cisplatin
Inner ear; Cochlear ototoxicity; Prophylaxis; Neuropeptide (de Groot, J.C.M.J. (106) 9)

Click-evoked otoacoustic emission
Time-frequency distribution; OAE component; Latency; Wavelet transform (Tognola, G. (106) 112)

Cochlea
Electrical stimulation; Outer hair cell; Cochlear implant (McAnally, K.I. (106) 137)

Electrical stimulation; Cochlea; Outer hair cell (McAnally, K.I. (106) 137)

Auditory nerve; Hair cell; Transduction; Compound action potential; Masking (McAnally, K.I. (106) 146)

Cochlear ototoxicity
Inner ear; Cisplatin; Prophylaxis; Neuropeptide (de Groot, J.C.M.J. (106) 9)

Cochlear potential
Auditory system; Hearing; Organ of Corti; Hair cell; Fluorescence microscopy (Flock, Å. (106) 29)

Compound action potential
Cochlear implant; Auditory nerve; Hair cell; Transduction; Masking (McAnally, K.I. (106) 146)

Deafness
Presbycusis; Central auditory system; Speech perception; Aging; Hearing (Frisina, D.R. (106) 95)

Displacement
Otitis media; Purulent; Tympanometry; Moire interferometry (von Unge, M. (106) 123)

Dorsal cochlear nucleus
Noise; Blood flow; Intravital microscopy; Laser Doppler flowmetry (Mandal, A. (106) 1)

AM tone; FM tone; Modulation encoding cue; Modulation transmission; Across-frequency channel processing (Zhao, H.-B. (106) 83)

Electrical stimulation
Cochlea; Outer hair cell; Cochlear implant (McAnally, K.I. (106) 137)

Fluorescence microscopy
Auditory system; Hearing; Organ of Corti; Hair cell; Cochlear potential (Flock, Å. (106) 29)

FM tone
AM tone; Modulation encoding cue; Modulation transmission; Across-frequency channel processing; Dorsal cochlear nucleus (Zhao, H.-B. (106) 83)

Guinea pig
Oncomodulin; Parvalbumin; Organ of Corti (Henzl, M.T. (106) 105)

Hair cell
Auditory system; Hearing; Organ of Corti; Fluorescence microscopy; Cochlear potential (Flock, Å. (106) 29)

Cochlear implant; Auditory nerve; Transduction; Compound action potential; Masking (McAnally, K.I. (106) 146)

Hearing
Auditory system; Organ of Corti; Hair cell; Fluorescence microscopy; Cochlear potential (Flock, Å. (106) 29)

Presbycusis; Central auditory system; Speech perception; Aging; Deafness (Frisina, D.R. (106) 95)

Inner ear
Cochlear ototoxicity; Cisplatin; Prophylaxis; Neuropeptide (de Groot, J.C.M.J. (106) 9)

Interaural time difference
Sound lateralization; Auditory brainstem response; Binaural difference potential; Binaural interaction component; Superior olivary complex; Cat (Ungan, P. (106) 66)

Intravital microscopy
Dorsal cochlear nucleus; Noise; Blood flow; Laser Doppler flowmetry (Mandal, A. (106) 1)

Laser Doppler flowmetry
Dorsal cochlear nucleus; Noise; Blood flow; Intravital microscopy (Mandal, A. (106) 1)

Latency
Click-evoked otoacoustic emission; Time-frequency distribution; OAE component; Wavelet transform (Tognola, G. (106) 112)

Masking
Cochlear implant; Auditory nerve; Hair cell; Transduction; Compound action potential (McAnally, K.I. (106) 146)

Middle ear
Pars flaccida; Tympanic membrane; Models; Acoustics; Anatomy (Teoh, S.W. (106) 39)

Middle latency response
Auditory brainstem response; Binaural interaction component; Neonate (Cone-Wesson, B. (106) 163)

Models
Pars flaccida; Tympanic membrane; Middle ear; Acoustics; Anatomy (Teoh, S.W. (106) 39)

Modulation encoding cue
AM tone; FM tone; Modulation transmission; Across-frequency channel processing; Dorsal cochlear nucleus (Zhao, H.-B. (106) 83)

Modulation transmission
AM tone; FM tone; Modulation encoding cue; Across-frequency channel processing; Dorsal cochlear nucleus (Zhao, H.-B. (106) 83)

Moire interferometry
Otitis media; Purulent; Tympanometry; Displacement (von Unge, M. (106) 123)

Mouse
Noise exposure; Auditory threshold; Calcium channel; ABR latency (Ison, J.R. (106) 179)

Na-K-Cl cotransporter
Antiserum raised against rabbit parotid Na-K-Cl cotransporter; Post-embedding immunogold method; Stria vascularis (Mizuta, K. (106) 154)

Neonate
Auditory brainstem response; Middle latency response; Binaural interaction component (Cone-Wesson, B. (106) 163)

Neuromodulator
Auditory brainstem; Superior olivary complex; Rat; Brain slice; Neurotransmitter; Bioamine; Peptide (Wang, X. (106) 20)

Neuropeptide
Inner ear; Cochlear ototoxicity; Cisplatin; Prophylaxis (de Groot, J.C.M.J. (106) 9)

Neurotransmitter
Auditory brainstem; Superior olivary complex; Rat; Brain slice; Neuromodulator; Bioamine; Peptide (Wang, X. (106) 20)

Noise
Dorsal cochlear nucleus; Blood flow; Intravital microscopy; Laser Doppler flowmetry (Mandal, A. (106) 1)

Mouse; Auditory threshold; Calcium channel; ABR latency (Ison, J.R. (106) 179)

OAE component
Click-evoked otoacoustic emission; Time-frequency distribution; Latency; Wavelet transform (Tognola, G. (106) 112)

Oncomodulin
Parvalbumin; Organ of Corti; Guinea pig (Henzl, M.T. (106) 105)

Organ of Corti
Auditory system; Hearing; Hair cell; Fluorescence microscopy; Cochlear potential (Flock, Å. (106) 29)

Oncomodulin; Parvalbumin; Guinea pig (Henzl, M.T. (106) 105)

Otitis media
Purulent; Tympanometry; Moire interferometry; Displacement (von Unge, M. (106) 123)

Outer hair cell
Electrical stimulation; Cochlea; Cochlear implant (McAnally, K.I. (106) 137)

Pars flaccida
Tympanic membrane; Middle ear; Models; Acoustics; Anatomy (Teoh, S.W. (106) 39)

Parvalbumin
Oncomodulin; Organ of Corti; Guinea pig (Henzl, M.T. (106) 105)

Peptide
Auditory brainstem; Superior olivary complex; Rat; Brain slice; Neurotransmitter; Neuromodulator; Bioamine (Wang, X. (106) 20)

Post-embedding immunogold method
Na-K-Cl cotransporter; Antiserum raised against rabbit parotid Na-K-Cl cotransporter; Stria vascularis (Mizuta, K. (106) 154)

Presbycusis
Central auditory system; Speech perception; Aging; Hearing; Deafness (Frisina, D.R. (106) 95)

Prophylaxis
Inner ear; Cochlear ototoxicity; Cisplatin; Neuropeptide (de Groot, J.C.M.J. (106) 9)

Purulent
Otitis media; Tympanometry; Moire interferometry; Displacement (von Unge, M. (106) 123)

Rat
Auditory brainstem; Superior olivary complex; Brain slice; Neurotransmitter; Neuromodulator; Bioamine; Peptide (Wang, X. (106) 20)

Sound lateralization
Interaural time difference; Auditory brainstem response; Binaural difference potential; Binaural interaction component; Superior olivary complex; Cat (Ungan, P. (106) 66)

Speech perception
Presbycusis; Central auditory system; Aging; Hearing; Deafness (Frisina, D.R. (106) 95)

Stria vascularis
Na-K-Cl cotransporter; Antiserum raised against rabbit parotid Na-K-Cl cotransporter; Post-embedding immunogold method (Mizuta, K. (106) 154)

Superior olivary complex
Auditory brainstem; Rat; Brain slice; Neurotransmitter; Neuromodulator; Bioamine; Peptide (Wang, X. (106) 20)

Sound lateralization; Interaural time difference; Auditory brainstem response; Binaural difference potential; Binaural interaction component; Cat (Ungan, P. (106) 66)

Time-frequency distribution
Click-evoked otoacoustic emission; OAE component; Latency; Wavelet transform (Tognola, G. (106) 112)

Transduction
Cochlear implant; Auditory nerve; Hair cell; Compound action potential; Masking (McAnally, K.I. (106) 146)

Tympanic membrane
Pars flaccida; Middle ear; Models; Acoustics; Anatomy (Teoh, S.W. (106) 39)

Tympanometry
Otitis media; Purulent; Moire interferometry; Displacement (von Unge, M. (106) 123)

Wavelet transform
Click-evoked otoacoustic emission; Time-frequency distribution; OAE component; Latency (Tognola, G. (106) 112)